Operators, Arithmetic, and Methods

OperatorsIn javascript you can use the following operators.

+	Addition
-	Subtraction
*	Multiplication
/	Division
++	Increment
	Decrement

Addition

Addition is used by the + symbol in your code

When adding number data types together it will perform normal addition

When adding string data types together it will combine the strings

var x = 3; var x = "3";

var y = 2; var y = "2";

console.log(x + y); console.log(x + y);

Output: 5 Output: "32"

```
var x = 3;

var y = 2;

console.log(x + y);
```

Output: 3

Subtraction

Subtraction is used by the - symbol in your code

When subtracting number data types together it will perform normal subtraction

If you subtract 2 strings your javascript will attempt to convert the strings to numbers and if it cannot it will error as NaN (Not a number)

```
var x = 3;
var y = 2;
console.log( x - y);
Output: 3
```

Multiplication

Multiplication is used by the * symbol in your code

When multiplying number data types together it will perform normal multiplication

If you multiply 2 strings your javascript will attempt to convert the strings to numbers and if it cannot it will error as NaN (Not a number)

```
var x = 3;
var y = 2;
console.log( x * y);
Output: 6
```

Division

Division is used by the / symbol in your code

When dividing number data types together it will perform normal division

If you divide 2 strings your javascript will attempt to convert the strings to numbers and if it cannot it will error as NaN (Not a number)

```
var x = 6;
var y = 2;
console.log(x/y);
Output: 3
```

```
var x = 6;
var y = 2;
console.log(x - y);
console.log(x * y);
console.log(x/y);
```

What about multiple operators (Arithmetic) in a line of code?

Javascript will follow the order of operations when there are multiple operators in a line of code.

```
var x = 2;
```

var y = 3;

var z = 4;

console.log(x + y * z); //Based on order of operations y * z will come first and then x will be added

Output: 14

Don't forget the parentheses!!

Just like with normal order of operations you can use parentheses

var x = 2;

var y = 3;

var z = 4;

console.log((x + y) * z); //Based on order of operations x + y will come first and then z will be multiplied

Output: 20

```
var\ x=2; var\ y=3; var\ z=4; console.log(\ (x+y)\ ^*\ z); //Based\ on\ order\ of\ operations\ x+y\ will\ come\ first\ and\ then\ z\ will\ be\ multiplied Output:\ 20
```

Increment

Increment is used by the ++ symbols in your code

Increment adds 1 to the number

```
var x = 6;
x++;
console.log( x);
```

Output: 7

Decrement

Decrement is used by the – symbols in your code

Decrement subtracts 1 from the number

```
var x = 6;
x- -;
console.log(x);
Output: 5
```

What's the point of this ++ and - -??

Incrementing and Decrementing will become very important when we start learning about loops

var x = 6;

x++;

console.log(x);

Output: 7

var x = 6;

X- -;

console.log(x);

Output: 5

Functions

We have already learned about Functions when we used on Click with buttons but Functions can do more!

A few topics we'll review on functions:

Passing variables into a function

Ending a function early

Returning a value from a function

Why use Functions?

Functions help reduce redundant code

Functions help organize code

Function help break large pages of code into easier to understand blocks

Review of how to declare a function

```
function NAMEYOUASSIGN(){

CODE

}
```

How to call a function in Javascript

```
You can call a function from Javascript sendAlert();

function sendAlert(){
    alert("Hello");
}
```

```
sendAlert();
function sendAlert(){
    alert("Hello");
}
```

Passing a variable in a function

```
You can pass variables in a function and then use that variable in your function sendAlert("hello");

function sendAlert(x){

alert(x);
```

```
sendAlert("hello");
function sendAlert(x){
    alert(x);
}
```

Ending a function early

You can end a function by using the return keyword. Anything below this line will not be executed.

```
sendAlert("hello");
function sendAlert(x){
    return;
    alert(x);
}
```

```
sendAlert("hello");
function sendAlert(x){
    return;
    alert(x);
}
```

Returning a value from a function

Like passing variables into a function you can also return a value from your function to do this use the return keyword we just learned

To get the return value make sure you assign it to a variable

```
var x = getMessage();
function getMessage(){
    return "Hello";
}
```

```
var x = getMessage();
function getMessage(){
    return "Hello";
}
```